

Tatti, F., Papini, M.P., Sappa, G., Raboni, M., Arjmand, F., Viotti, P.

Contaminant back-diffusion from low-permeability layers as affected by groundwater velocity: A laboratory investigation by box model and image analysis

(2018) *Science of the Total Environment*, 622-623, pp. 164-171.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85035803570&doi=10.1016%2fj.scitotenv.2017.11.347&partnerID=40&md5=81e4caaelb73af0974cd68b751c8eaaf>

2017.11.347&partnerID=40&md5=81e4caaelb73af0974cd68b751c8eaaf

DOI: 10.1016/j.scitotenv.2017.11.347

DOCUMENT TYPE: Article

SOURCE: Scopus

Silvani, L., Di Palma, P.R., Riccardi, C., Eek, E., Hale, S.E., Viotti, P., Petrangeli Papini, M.

Use of biochar as alternative sorbent for the active capping of oil contaminated sediments

(2017) *Journal of Environmental Chemical Engineering*, 5 (5), pp. 5241-5249.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85030632844&doi=10.1016%2fj.jece.2017.10.004&partnerID=40&md5=e192a57b73bb235cc285ee2463ab0914>

2017.10.004&partnerID=40&md5=e192a57b73bb235cc285ee2463ab0914

DOI: 10.1016/j.jece.2017.10.004

DOCUMENT TYPE: Article

SOURCE: Scopus

Mancini, G., Nicosia, F.G., Luciano, A., Viotti, P., Fino, D.

An Approach to an Insular Self-contained Waste Management System with the Aim of Maximizing Recovery While Limiting Transportation Costs

(2017) *Waste and Biomass Valorization*, 8 (5), pp. 1617-1627.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85020660716&doi=10.1007%2fs12649-017-9969-y&partnerID=40&md5=520453d8e009b4fc74851eff9041b4e5>

2017.10.004&partnerID=40&md5=e192a57b73bb235cc285ee2463ab0914

DOI: 10.1007/s12649-017-9969-y

DOCUMENT TYPE: Article

SOURCE: Scopus

Luciano, A., Torretta, V., Mancini, G., Eleuteri, A., Raboni, M., Viotti, P.

The modelling of odour dispersion as a support tool for the improvements of high odours impact plants (2017) *Environmental Technology (United Kingdom)*, 38 (5), pp. 588-597. Cited 1 time.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84978501307&doi=10.1080%2f09593330.2016.1205146&partnerID=40&md5=5617bdddcc2dc0dc9941b132b7870fa2>

DOI: 10.1080/09593330.2016.1205146

DOCUMENT TYPE: Article

SOURCE: Scopus

Torretta, V., Rada, E.C., Schiavon, M., Viotti, P.

Decision support systems for assessing risks involved in transporting hazardous materials: A review (2017) *Safety Science*, 92, pp. 1-9. Cited 6 times.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84989160333&doi=10.1016%2fj.ssci.2016.09.008&partnerID=40&md5=6199f502184c47edc27f7f28c842fe5d>

DOI: 10.1016/j.ssci.2016.09.008

DOCUMENT TYPE: Review

SOURCE: Scopus

Raboni, M., Viotti, P.

Predictive model of limestone scaling in ammonia stripping towers and its experimental validation on a treatment plant fed by MSW leachate-polluted groundwater (2017) *Waste Management*, 59, pp. 537-544.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85005847526&doi=10.1016%2fj.wasman.2016.10.025&partnerID=40&md5=91b6079b9d8808f00251a08bfa5a7a55>

DOI: 10.1016/j.wasman.2016.10.025

DOCUMENT TYPE: Article

SOURCE: Scopus

Raboni, M., Torretta, V., Viotti, P.

Treatment of airborne BTEX by a two-stage biotrickling filter and biofilter, exploiting selected bacterial and fungal consortia
(2017) International Journal of Environmental Science and Technology, 14 (1), pp. 19-28. Cited 2 times.
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85007530030&doi=10.1007%2fs13762-016-1127-8&partnerID=40&md5=102cdc3d8e3e92e781ef71c1694012de>

DOI: 10.1007/s13762-016-1127-8

DOCUMENT TYPE: Article

SOURCE: Scopus

Di Palma, P.R., Parmigiani, A., Huber, C., Guyennon, N., Viotti, P.
Pore-scale simulations of concentration tails in heterogeneous porous media
(2017) Journal of Contaminant Hydrology, 205, pp. 47-56.
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-85028690421&doi=10.1016%2fj.jconhyd.2017.08.003&partnerID=40&md5=b7885476c6f076eec034fae2775d4082>

DOI: 10.1016/j.jconhyd.2017.08.003

DOCUMENT TYPE: Article

SOURCE: Scopus

Viotti, P., Collivignarelli, M.C., Martorelli, E., Raboni, M.
Oxygen control and improved denitrification efficiency by dosing ferrous ions in the anoxic reactor
(2016) Desalination and Water Treatment, 57 (39), pp. 18240-18247. Cited 2 times.
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84941711835&doi=10.1080%2f19443994.2015.1089200&partnerID=40&md5=d19e5ced746c4471e5634e1d5cc7a1bb>

DOI: 10.1080/19443994.2015.1089200

DOCUMENT TYPE: Article

SOURCE: Scopus

Tatti, F., Papini, M.P., Raboni, M., Viotti, P.
Image analysis procedure for studying Back-Diffusion phenomena from low-permeability layers in laboratory

tests

(2016) *Scientific Reports*, 6, art. no. 30400, . Cited 3 times.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84979911528&doi=10.1038%2fsrep30400&partnerID=40&md5=ebd607c0a7d6abd9bc9287dcd52a1efb>

DOI: 10.1038/srep30400

DOCUMENT TYPE: Article

SOURCE: Scopus

Raboni, M., Torretta, V., Viotti, P.

Airborne toluene removal for minimizing occupational health exposure by means of a trickle-bed biofilter (2016) *Environmental Science and Pollution Research*, 23 (12), pp. 11751-11758. Cited 1 time.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84960119576&doi=10.1007%2fs11356-016-6352-7&partnerID=40&md5=c4dc6f57abb9fc864407472df3b95936>

DOI: 10.1007/s11356-016-6352-7

DOCUMENT TYPE: Article

SOURCE: Scopus

Raboni, M., Viotti, P.

Formation and destruction of Polycyclic Aromatic Hydrocarbons (PAHs) in the flaring of the biogas collected from an automotive shredded residues landfill [Formação e destruição de hidrocarbonetos aromáticos policíclicos (HAP) na combustão do biogás coletado de um aterro de resíduos de veículos desmantelados]

(2016) *Revista Ambiente e Agua*, 11 (1), pp. 4-12.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84955606417&doi=10.4136%2fambi-agua.1758&partnerID=40&md5=a2536a4fc6eedab9dfa7b604b9f6a4af>

DOI: 10.4136/ambi-agua.1758

DOCUMENT TYPE: Article

SOURCE: Scopus

Di Palma, P.R., Huber, C., Viotti, P.

A new lattice Boltzmann model for interface reactions between immiscible fluids

(2015) *Advances in Water Resources*, 82, pp. 139-149.

Cited 4 times.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84930197141&doi=10.1016%2fj.advwatres.2015.05.001&partnerID=40&md5=3d9822950045b8bfdd1fa9b6c6c3d3d8>

DOI: 10.1016/j.advwatres.2015.05.001

DOCUMENT TYPE: Article

SOURCE: Scopus

Viotti, P., Gavasci, R.

Scaling of ammonia stripping towers in the treatment of groundwater polluted by municipal solid waste landfill leachate: Study of the causes of scaling and its effects on stripping performance [Incrustação das torres de arraste de amônia no tratamento de águas subterrâneas poluídas pelo chorume de aterro de resíduos sólidos urbanos: Estudo das causas da incrustação e seus efeitos na eficiência de extração]

(2015) Revista Ambiente e Agua, 10 (2), pp. 240-252.

Cited 4 times.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84926682825&doi=10.4136%2fambi-agua.1567&partnerID=40&md5=d6ae6e6354a01ca135b477f93bbd7728>

DOI: 10.4136/ambi-agua.1567

DOCUMENT TYPE: Article

SOURCE: Scopus

Urbini, G., Gavasci, R., Viotti, P.

Oxygen control and improved denitrification efficiency by means of a post-anoxic reactor

(2015) Sustainability (Switzerland), 7 (2), pp.

1201-1212. Cited 5 times.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84923213554&doi=10.3390%2fsu7021201&partnerID=40&md5=fa7fdf599da63deff7fe5bc4c5d2ffc2>

DOI: 10.3390/su7021201

DOCUMENT TYPE: Article

SOURCE: Scopus

Torretta, V., Collivignarelli, M.C., Raboni, M., Viotti, P.

Experimental treatment of a refinery waste air stream, for BTEX removal, by water scrubbing and biotrickling on a bed of *Mitilus edulis* shells
(2015) *Environmental Technology (United Kingdom)*, 36 (18), pp. 2300-2307. Cited 7 times.
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84937522804&doi=10.1080%2f09593330.2015.1026289&partnerID=40&md5=6e218c631358dac8ab8bbf882878b335>

DOI: 10.1080/09593330.2015.1026289

DOCUMENT TYPE: Article

SOURCE: Scopus

Viotti, P., Schiavon, M., Gavasci, R., Capodaglio, A.G.
Removal of benzene and toluene from a refinery waste air stream by water sorption and biotrickling filtration [Remoção de benzeno e tolueno de um efluente de refinaria por absorção e filtração "biotrickling"]
(2015) *Revista Ambiente e Agua*, 10 (4), pp. 720-727.
Cited 1 time.
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84945580902&doi=10.4136%2fambi-agua.1764&partnerID=40&md5=dbcd3c4ac1942493f1c07c28b7a997c3>

DOI: 10.4136/ambi-agua.1764

DOCUMENT TYPE: Article

SOURCE: Scopus

Raboni, M., Torretta, V., Urbini, G., Viotti, P.
Automotive shredder residue: A survey of the hazardous organic micro-pollutants spectrum in landfill biogas
(2015) *Waste Management and Research*, 33 (1), pp. 48-54.
Cited 10 times.
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84925635510&doi=10.1177%2f0734242X14559300&partnerID=40&md5=1640997413d2c4ec7ab4f76b75f7be4e>

DOI: 10.1177/0734242X14559300

DOCUMENT TYPE: Article

SOURCE: Scopus

Raboni, M., Gavasci, R., Viotti, P.
Influence of denitrification reactor retention time distribution (RTD) on dissolved oxygen control and

nitrogen removal efficiency

(2015) *Water Science and Technology*, 72 (1), pp. 45-51.

Cited 6 times.

[https://www.scopus.com/inward/record.uri?eid=2-](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84935144794&doi=10.2166%2fwst.2015.188&partnerID=40&md5=ac4fe5582300758bdf49b6d54fd8a7f5)

[s2.0-84935144794&doi=10.2166%2fwst.](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84935144794&doi=10.2166%2fwst.2015.188&partnerID=40&md5=ac4fe5582300758bdf49b6d54fd8a7f5)

[2015.188&partnerID=40&md5=ac4fe5582300758bdf49b6d54fd8a7f5](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84935144794&doi=10.2166%2fwst.2015.188&partnerID=40&md5=ac4fe5582300758bdf49b6d54fd8a7f5)

DOI: 10.2166/wst.2015.188

DOCUMENT TYPE: Article

SOURCE: Scopus

Raboni, M., Viotti, P., Capodaglio, A.G.

A comprehensive analysis of the current and future role of biofuels for transport in the European union (EU)

[Análise geral do papel atual e futuro dos

biocombustíveis nos transportes na União Europeia (UE)]

(2015) *Revista Ambiente e Agua*, 10 (1), pp. 9-21. Cited 9 times.

[https://www.scopus.com/inward/record.uri?eid=2-](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84918538421&doi=10.4136%2fambi-agua.1492&partnerID=40&md5=3bbd4954ad1b56a96ec00752f90953f6)

[s2.0-84918538421&doi=10.4136%2fambi-agua.](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84918538421&doi=10.4136%2fambi-agua.1492&partnerID=40&md5=3bbd4954ad1b56a96ec00752f90953f6)

[1492&partnerID=40&md5=3bbd4954ad1b56a96ec00752f90953f6](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84918538421&doi=10.4136%2fambi-agua.1492&partnerID=40&md5=3bbd4954ad1b56a96ec00752f90953f6)

DOI: 10.4136/ambi-agua.1492

DOCUMENT TYPE: Article

SOURCE: Scopus

Martorelli, E., Antonucci, A., Luciano, A., Rossi, E.,

Raboni, M., Mancini, G., Viotti, P.

EDTA Chelating Process for Lead Removal: Evaluation of Approaches by Means of a Reactive Transport Model

(2015) *Water, Air, and Soil Pollution*, 226 (4), .

[https://www.scopus.com/inward/record.uri?eid=2-](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84924956421&doi=10.1007%2fs11270-015-2377-7&partnerID=40&md5=68ada9065daed81bce555657439eef39)

[s2.0-84924956421&doi=10.1007%2fs11270-015-2377-7&partnerI](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84924956421&doi=10.1007%2fs11270-015-2377-7&partnerID=40&md5=68ada9065daed81bce555657439eef39)

[D=40&md5=68ada9065daed81bce555657439eef39](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84924956421&doi=10.1007%2fs11270-015-2377-7&partnerID=40&md5=68ada9065daed81bce555657439eef39)

DOI: 10.1007/s11270-015-2377-7

DOCUMENT TYPE: Article

SOURCE: Scopus

Raboni, M., Torretta, V., Viotti, P., Urbini, G.

Calculating specific denitrification rates in pre-

denitrification by assessing the influence of dissolved oxygen, sludge loading and mixed-liquor recycle

(2014) Environmental Technology (United Kingdom), 35 (20), pp. 2582-2588. Cited 12 times.
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84903593640&doi=10.1080%2f09593330.2014.913690&partnerID=40&md5=d02e62f0cde63768999644eeb7936453>

DOI: 10.1080/09593330.2014.913690

DOCUMENT TYPE: Article

SOURCE: Scopus

Mancini, G., Viotti, P., Luciano, A., Fino, D.
On the ASR and ASR thermal residues characterization of full scale treatment plant
(2014) Waste Management, 34 (2), pp. 448-457. Cited 22 times.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84892573204&doi=10.1016%2fj.wasman.2013.11.002&partnerID=40&md5=18c173e742341ad5229ed4bac93ea8a0>

DOI: 10.1016/j.wasman.2013.11.002

DOCUMENT TYPE: Article

SOURCE: Scopus

Viotti, P., Luciano, A., Mancini, G., Torretta, V.
A wastewater treatment using a biofilm airlift suspension reactor with biomass attached to supports: A numerical model

(2014) International Journal of Environmental Science and Technology, 11 (3), pp. 571-588. Cited 4 times.
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84900374524&doi=10.1007%2fs13762-013-0256-6&partnerID=40&md5=fdd2bf2758fa204db9ef35ec5827bcef>

DOI: 10.1007/s13762-013-0256-6

DOCUMENT TYPE: Article

SOURCE: Scopus

Raboni, M., Torretta, V., Viotti, P., Urbini, G.
Pilot experimentation with complete mixing anoxic reactors to improve sewage denitrification in treatment plants in small communities
(2014) Sustainability (Switzerland), 6 (1), pp. 112-122. Cited 14 times.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84894099793&doi=10.3390%2fsu6010112&partnerID=40&md5=0b4fd946a1872a24b5b229a32dd13443>

DOI: 10.3390/su6010112

DOCUMENT TYPE: Article

SOURCE: Scopus

Mancini, G., Viotti, P., Luciano, A., Raboni, M., Fino, D.

Full scale treatment of ASR wastes in a modified rotary kiln

(2014) Waste Management, 34 (11), pp. 2347-2354. Cited 12 times.

[https://www.scopus.com/inward/record.uri?eid=2-s2.0-84907712384&doi=10.1016%2fj.wasman.](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84907712384&doi=10.1016%2fj.wasman.2014.06.028&partnerID=40&md5=9d272074b5665f0cb066acf226508379)

[2014.06.028&partnerID=40&md5=9d272074b5665f0cb066acf22650](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84907712384&doi=10.1016%2fj.wasman.2014.06.028&partnerID=40&md5=9d272074b5665f0cb066acf226508379)

[8379](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84907712384&doi=10.1016%2fj.wasman.2014.06.028&partnerID=40&md5=9d272074b5665f0cb066acf226508379)

DOI: 10.1016/j.wasman.2014.06.028

DOCUMENT TYPE: Article

SOURCE: Scopus

Viotti, P., Di Palma, P.R., Aulenta, F., Luciano, A., Mancini, G., Papini, M.P.

Use of a reactive transport model to describe reductive dechlorination (RD) as a remediation design tool:

Application at a CAH-contaminated site

(2014) Environmental Science and Pollution Research, 21 (2), pp. 1514-1527. Cited 9 times.

[https://www.scopus.com/inward/record.uri?eid=2-s2.0-84891632890&doi=10.1007%2fs11356-013-2035-9&partnerI](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84891632890&doi=10.1007%2fs11356-013-2035-9&partnerID=40&md5=713e4dabb3ef977a7ccea23db2805ab)

[D=40&md5=713e4dabb3ef977a7ccea23db2805ab](https://www.scopus.com/inward/record.uri?eid=2-s2.0-84891632890&doi=10.1007%2fs11356-013-2035-9&partnerID=40&md5=713e4dabb3ef977a7ccea23db2805ab)

DOI: 10.1007/s11356-013-2035-9

DOCUMENT TYPE: Article

SOURCE: Scopus

Cossu, R., Fiore, S., Lai, T., Luciano, A., Mancini, G., Ruffino, B., Viotti, P., Zanetti, M.C.

Review of Italian experience on automotive shredder residue characterization and management

(2014) Waste Management, 34 (10), pp. 1752-1762. Cited 23 times.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84907712342&doi=10.1016%2fj.wasman.2013.11.014&partnerID=40&md5=2b309ee0278164219c1ceb5d327c3f19>

DOI: 10.1016/j.wasman.2013.11.014

DOCUMENT TYPE: Article

SOURCE: Scopus

Raboni, M., Torretta, V., Viotti, P., Urbini, G.
Experimental plant for the physical-chemical treatment of groundwater polluted by municipal solid waste (MSW) leachate, with ammonia recovery [Estação experimental para o tratamento físico-químico de águas subterrâneas poluídas por chorume de um aterro de resíduos sólidos urbanos, com recuperação de amônia]
(2013) *Revista Ambiente e Agua*, 8 (3), pp. 22-32. Cited 20 times.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84891106776&doi=10.4136%2fambi-agua.1250&partnerID=40&md5=9561bc1f62421eb8ea89d0952f6ec25d>

DOI: 10.4136/ambi-agua.1250

DOCUMENT TYPE: Article

SOURCE: Scopus

Boni, M.R., Scaffoni, S., Tuccinardi, L., Viotti, P.
Development and calibration of a model for biohydrogen production from organic waste
(2013) *Waste Management*, 33 (5), pp. 1128-1135. Cited 7 times.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84877635183&doi=10.1016%2fj.wasman.2013.01.019&partnerID=40&md5=f6a085b64dfb286e907fcddfbdc61e62>

DOI: 10.1016/j.wasman.2013.01.019

DOCUMENT TYPE: Article

SOURCE: Scopus

Luciano, A., Viotti, P., Torretta, V., Mancini, G.
Numerical approach to modelling pulse-mode soil flushing on a Pb-contaminated soil
(2013) *Journal of Soils and Sediments*, 13 (1), pp. 43-55.

Cited 10 times.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84872271881&doi=10.1007%2fs11368-012-0567-0&partnerID=40&md5=0e5936c37fce733f4b00f76b0106ba4e>

DOI: 10.1007/s11368-012-0567-0

DOCUMENT TYPE: Article

SOURCE: Scopus

Antonucci, A., Viotti, P., Luciano, A., Mancini, G.
A numerical model of the soil flushing remediation in heavy metal contaminated soil

(2013) Chemical Engineering Transactions, 32, pp. 469-474. Cited 3 times.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84879198463&doi=10.3303%2fCET1332079&partnerID=40&md5=8d86cb52bf5f16ff0f41a645c298d35c>

DOI: 10.3303/CET1332079

DOCUMENT TYPE: Conference Paper

SOURCE: Scopus

Torretta, V., Urbini, G., Raboni, M., Copelli, S., Viotti, P., Luciano, A., Mancini, G.

Effect of powdered activated carbon to reduce fouling in membrane bioreactors: A sustainable solution. Case study (2013) Sustainability (Switzerland), 5 (4), pp. 1501-1509. Cited 21 times.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84882585709&doi=10.3390%2fsu5041501&partnerID=40&md5=dec6d6be8f896e21ca7319011c39494e>

DOI: 10.3390/su5041501

DOCUMENT TYPE: Article

SOURCE: Scopus

Luciano, A., Viotti, P., Mancini, G., Torretta, V.
An integrated wastewater treatment system using a BAS reactor with biomass attached to tubular supports

(2012) Journal of Environmental Management, 113, pp. 51-60. Cited 16 times.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84866296711&doi=10.1016%2fj.jenvman.2012.08.034&partnerID=40&md5=93ea9989d4f277cb51f678d8f95a>

252c

DOI: 10.1016/j.jenvman.2012.08.034

DOCUMENT TYPE: Article

SOURCE: Scopus

Cantelli, A., Leuzzi, G., Monti, P., Viotti, P.
An inverse modelling approach for estimating vehicular emissions in urban coastal areas of the Messina Strait (2012) *International Journal of Environment and Pollution*, 50 (1-4), pp. 274-282. Cited 1 time.
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84871785631&doi=10.1504%2fIJEP.2012.051199&partnerID=40&md5=613c4240d239624d9e237cbc7381fa25>

DOI: 10.1504/IJEP.2012.051199

DOCUMENT TYPE: Article

SOURCE: Scopus

Luciano, A., Viotti, P., Papini, M.P.
On morphometric properties of DNAPL sources: Relating architecture to mass reduction (2012) *Water, Air, and Soil Pollution*, 223 (5), pp. 2849-2864. Cited 4 times.
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84862158418&doi=10.1007%2fs11270-011-1071-7&partnerID=40&md5=403c39a281cb8340c648bd37927e7ef9>

DOI: 10.1007/s11270-011-1071-7

DOCUMENT TYPE: Article

SOURCE: Scopus

Palmeri, E., Mancini, G., Luciano, A., Viotti, P.
Risk analysis of a disused landfill as support tool for defining strategy and priority of the remediation actions (2012) *Chemical Engineering Transactions*, 28, pp. 43-48. Cited 2 times.
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84867223896&doi=10.3303%2fCET1228008&partnerID=40&md5=1d10f172ed892874deab29d51e43d566>

DOI: 10.3303/CET1228008

DOCUMENT TYPE: Conference Paper

SOURCE: Scopus

Luciano, A., Viotti, P., Mancini, G.

A numerical model to study pulsing soil flushing:
Validation and application to a real contaminated soil
(2012) Chemical Engineering Transactions, 28, pp.
151-156. Cited 4 times.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84867218519&doi=10.3303%2fCET1228026&partnerID=40&md5=4004a7cb5f9f8b7948a41c5e0a8332fb>

DOI: 10.3303/CET1228026

DOCUMENT TYPE: Conference Paper

SOURCE: Scopus

Copelli, S., Torretta, V., Raboni, M., Viotti, P.,
Luciano, A., Mancini, G., Nano, G.

Improving biotreatment efficiency of hot waste air
streams: Experimental upgrade of a full plant
(2012) Chemical Engineering Transactions, 30, pp. 49-54.
Cited 27 times.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84875013828&doi=10.3303%2fCET1230009&partnerID=40&md5=2aea0b98f2abe1879432341829d9317b>

DOI: 10.3303/CET1230009

DOCUMENT TYPE: Conference Paper

SOURCE: Scopus

Erning, K., Schäfer, D., Dahmke, A., Luciano, A., Viotti,
P., Papini, M.P.

Simulation of DNAPL distribution depending on groundwater
flow velocities using TMVOC
(2011) IAHS-AISH Publication, 342, pp. 128-131. Cited 3
times.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84860595414&partnerID=40&md5=abeb332e756db425958433dba5837bd6>

DOCUMENT TYPE: Conference Paper

SOURCE: Scopus

Cantelli, A., Leuzzi, G., Monti, P., Viotti, P.,
Villanova, M., Majetta, S.

An inverse modeling method to identify vehicular emissions in Urban complex areas
(2011) HARMO 2011 - Proceedings of the 14th International Conference on Harmonisation within Atmospheric Dispersion Modelling for Regulatory Purposes, pp. 617-621.
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84933512754&partnerID=40&md5=3be8e7164d310e464bf5f9d97f61d326>

DOCUMENT TYPE: Conference Paper

SOURCE: Scopus

Mancini, G., Tamma, R., Viotti, P.
Thermal process of fluff: Preliminary tests on a full-scale treatment plant
(2010) Waste Management, 30 (8-9), pp. 1670-1682. Cited 32 times.
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-77953611906&doi=10.1016%2fj.wasman.2010.01.037&partnerID=40&md5=82fd48adc214f730e29dd1fb83f037a5>

DOI: 10.1016/j.wasman.2010.01.037

DOCUMENT TYPE: Article

SOURCE: Scopus

Luciano, A., Viotti, P., Papini, M.P.
Laboratory investigation of DNAPL migration in porous media
(2010) Journal of Hazardous Materials, 176 (1-3), pp. 1006-1017. Cited 35 times.
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-74649086951&doi=10.1016%2fj.jhazmat.2009.11.141&partnerID=40&md5=ed0731f020fa817ce85fe524b6124795>

DOI: 10.1016/j.jhazmat.2009.11.141

DOCUMENT TYPE: Article

SOURCE: Scopus

Orlando, L., Viotti, P.
DNAPL detection and monitoring using electrical resistive tomography - A case study in North Italy, Rho-Milan
(2009) Near Surface 2009 - 15th European Meeting of

Environmental and Engineering Geophysics, .
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84912147939&partnerID=40&md5=5853e08e1c5bb4b03068e8f30a6edb04>

DOCUMENT TYPE: Conference Paper
SOURCE: Scopus

Aulenta, F., Canosa, A., Leccese, M., Papini, M.P.,
Majone, M., Viotti, P.
Field study of in situ anaerobic bioremediation of a
chlorinated solvent source zone
(2007) Industrial and Engineering Chemistry Research, 46
(21), pp. 6812-6819. Cited 11 times.
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-35548994121&doi=10.1021%2fie070048m&partnerID=40&md5=efe56d2b7e1940bfe088add33ea7fdfd>

DOI: 10.1021/ie070048m
DOCUMENT TYPE: Conference Paper
SOURCE: Scopus

Nützmann, G., Viotti, P., Aagaard, P.
Preface
(2005) Reactive Transport in Soil and Groundwater:
Processes and Models, pp. v-vi.
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84889833347&doi=10.1007%2fb138022&partnerID=40&md5=0192081e54d88af2d5f323299e88b93f>

DOI: 10.1007/b138022
DOCUMENT TYPE: Editorial
SOURCE: Scopus

Nützmann, G., Viotti, P., Aagaard, P.
Reactive transport in soil and groundwater: Processes and
models
(2005) Reactive Transport in Soil and Groundwater:
Processes and Models, pp. 1-295. Cited 1 time.
<https://www.scopus.com/inward/record.uri?eid=2-s2.0-84889849678&doi=10.1007%2fb138022&partnerID=40&md5=255dc27c01dd5b74604964b3d8b21bc9>

DOI: 10.1007/b138022

DOCUMENT TYPE: Book

SOURCE: Scopus

Aulenta, F., Di Fazio, A., Lecce, M., Majone, M., Petrangeli Papini, M., Rossetti, S., Stracqualursi, N., Tandoi, V., Viotti, P.

Assessing the potential for natural or enhanced in-situ bioremediation at a TCE-contaminated site by coupling process analysis and modeling

(2005) *Reactive Transport in Soil and Groundwater: Processes and Models*, pp. 265-277. Cited 2 times.

https://www.scopus.com/inward/record.uri?eid=2-s2.0-84882311020&doi=10.1007%2f3-540-26746-8_19&partnerID=40&md5=56e207334e211847776733852873c596

DOI: 10.1007/3-540-26746-8_19

DOCUMENT TYPE: Book Chapter

SOURCE: Scopus

Viotti, P., Papini, M.P., Stracqualursi, N., Gamba, C. Contaminant transport in an unsaturated soil: Laboratory tests and numerical simulation model as procedure for parameters evaluation

(2005) *Ecological Modelling*, 182 (2), pp. 131-148. Cited 11 times.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-11444257759&doi=10.1016%2fj.ecolmodel.2004.07.014&partnerID=40&md5=a313a2ac9f32f25e7940c13eb10544ad>

DOI: 10.1016/j.ecolmodel.2004.07.014

DOCUMENT TYPE: Article

SOURCE: Scopus

Viotti, P., Di Genova, P., Falcioli, F. Numerical analysis of the anaerobic co-digestion of the organic fraction from municipal solid waste and wastewater: Prediction of the possible performances at Olmeto plant in Perugia (Italy)

(2004) *Waste Management and Research*, 22 (2), pp. 115-128. Cited 21 times.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-2542605299&doi=10.1177%2f0734242X04043892&partnerID=40&md5=5dc8638634cef88d2cbc7340f9238f1f>

DOI: 10.1177/0734242X04043892

DOCUMENT TYPE: Article

SOURCE: Scopus

Farabegoli, G., Carucci, A., Gandolfo, G., Rolle, E., Viotti, P.

Experimental study on carbon removal in biological aerated filters

(2004) *Water Science and Technology*, 48 (11-12), pp. 235-242. Cited 6 times.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-0346008006&partnerID=40&md5=1c318c7ecee887fb85fdeecf41a71a44>

DOCUMENT TYPE: Conference Paper

SOURCE: Scopus

Viotti, P., Polettini, A., Pomi, R., Innocenti, C.

Genetic algorithms as a promising tool for optimisation of the MSW collection routes

(2003) *Waste Management and Research*, 21 (4), pp. 292-298. Cited 18 times.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-0141717052&doi=10.1177%2f0734242X0302100402&partnerID=40&md5=011a35e59cba231d627e10fd8b554407>

DOI: 10.1177/0734242X0302100402

DOCUMENT TYPE: Article

SOURCE: Scopus

Viotti, P., Eramo, B., Boni, M.R., Carucci, A., Leccese, M., Scaffoni, S.

Development and calibration of a mathematical model for the simulation of the biofiltration process

(2002) *Advances in Environmental Research*, 7 (1), pp. 11-33. Cited 25 times.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-0036838146&doi=10.1016%2fS1093-0191%2801%2900106-X&partnerID=40&md5=200dcfa9ae39a92bdc2440dd96e0eb24>

DOI: 10.1016/S1093-0191(01)00106-X

DOCUMENT TYPE: Article

SOURCE: Scopus

Viotti, P., Liuti, G., Di Genova, P.
Atmospheric urban pollution: Applications of an
artificial neural network (ANN) to the city of Perugia
(2002) *Ecological Modelling*, 148 (1), pp. 27-46. Cited 98
times.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-0036468601&doi=10.1016%2fS0304-3800%2801%2900434-3&partnerID=40&md5=ec2c42092483080d3b6c8d7a8295a4e2>

DOI: 10.1016/S0304-3800(01)00434-3

DOCUMENT TYPE: Article

SOURCE: Scopus

P., V., M., P.P., C, C.

A laboratory experimental set-up for the study of organic
compounds transport through unsaturated soils
(2000) *Waste Management Series*, 1 (C), pp. 525-532.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-77956657137&doi=10.1016%2fS0713-2743%2800%2980063-X&partnerID=40&md5=a769e9376cc0e4d35aa0720fed75857c>

DOI: 10.1016/S0713-2743(00)80063-X

DOCUMENT TYPE: Article

SOURCE: Scopus

Berardi, S., Rolle, E., Viotti, P.

Contaminated soils: Evaluation and risk analysis on an
abandoned industrial area

(1999) *Proceedings of the International Conference on
Solid Waste Technology and Management*, pp. 1006-1015.

<https://www.scopus.com/inward/record.uri?eid=2-s2.0-0033292834&partnerID=40&md5=9093564fe2217b8bc3e616a70c88d3cd>

DOCUMENT TYPE: Conference Paper

SOURCE: Scopus

Viotti, P.

Scaling Properties of Tracer Trajectories in a Saturated
Porous Medium

(1997) *Transport in Porous Media*, 27 (1), pp. 1-16. Cited
4 times.

<https://www.scopus.com/inward/record.uri?eid=2->

s2.0-0031126580&partnerID=40&md5=b262aef0ca6e9b9e8ab5912c606ef981

DOCUMENT TYPE: Article

SOURCE: Scopus

Viotti, P., Di Cesare, S., Cavalli, L.

Application of LCI: Environmental profile of LAB and detergent alcohols

(1997) International Journal of Life Cycle Assessment, 2 (2), pp. 116-120. Cited 1 time.

<https://www.scopus.com/inward/record.uri?eid=2->

s2.0-3142529255&partnerID=40&md5=f90295fc055a641ec7e11397eaa169ed

DOCUMENT TYPE: Article

SOURCE: Scopus

Cenedese, A., Moroni, M., Viotti, P.

Lagrangian analysis of dispersion in porous media by means of three-dimensional particle tracking velocimetry

(1997) Proceedings, Congress of the International Association of Hydraulic Research, IAHR, C, pp. 451-456.

<https://www.scopus.com/inward/record.uri?eid=2->

s2.0-0030684224&partnerID=40&md5=8b8f983272fa6341f5c4d4952813edf8

DOCUMENT TYPE: Conference Paper

SOURCE: Scopus

Cenedese, A., Viotti, P.

Lagrangian analysis of nonreactive pollutant dispersion in porous media by means of the particle image velocimetry technique

(1996) Water Resources Research, 32 (8), pp. 2329-2343. Cited 36 times.

<https://www.scopus.com/inward/record.uri?eid=2->

s2.0-0029663128&doi=10.1029%2f96WR00605&partnerID=40&md5=4e6a5903533d3da50538beee2a58bc4e

DOI: 10.1029/96WR00605

DOCUMENT TYPE: Article

SOURCE: Scopus

Eramo, B., Gavasci, R., Misiti, A., Viotti, P.
Validation of a multisubstrate mathematical model for the
simulation of the denitrification process in fluidized
bed biofilm reactors
(1994) *Water Science and Technology*, 29 (10-11), pp.
401-408. Cited 7 times.
[https://www.scopus.com/inward/record.uri?eid=2-
s2.0-0028171749&partnerID=40&md5=ac3256d5547681d9af5a6745
8447e530](https://www.scopus.com/inward/record.uri?eid=2-s2.0-0028171749&partnerID=40&md5=ac3256d5547681d9af5a67458447e530)

DOCUMENT TYPE: Conference Paper
SOURCE: Scopus

Cenedese, A., Doglia, G., Sallusti, M., Viotti, P.
PIV velocity measurements close to a bluff body
(1993) *Journal of Wind Engineering and Industrial
Aerodynamics*, 50 (C), pp. 383-392.
[https://www.scopus.com/inward/record.uri?eid=2-
s2.0-0027791282&doi=10.1016%2f0167-6105%2893%2990093-4&pa
rtnerID=40&md5=0f0307dff032031fdde91c81ddd4ad62](https://www.scopus.com/inward/record.uri?eid=2-s2.0-0027791282&doi=10.1016%2f0167-6105%2893%2990093-4&partnerID=40&md5=0f0307dff032031fdde91c81ddd4ad62)

DOI: 10.1016/0167-6105(93)90093-4
DOCUMENT TYPE: Article
SOURCE: Scopus

Gallerano, F., Ricci, R., Viotti, P.
Analysis of the eutrophication trend in a deep lake
(1993) *Ecological Modelling*, 66 (3-4), pp. 157-179. Cited
4 times.
[https://www.scopus.com/inward/record.uri?eid=2-
s2.0-0027811443&doi=10.1016%2f0304-3800%2893%2990111-5&pa
rtnerID=40&md5=83ea59507f8e2c06900059afa0f2d510](https://www.scopus.com/inward/record.uri?eid=2-s2.0-0027811443&doi=10.1016%2f0304-3800%2893%2990111-5&partnerID=40&md5=83ea59507f8e2c06900059afa0f2d510)

DOI: 10.1016/0304-3800(93)90111-5
DOCUMENT TYPE: Article
SOURCE: Scopus